# A Bibliography of Hydraulic Fracturing for Soil, Bedrock, and Groundwater Remediation



Adams, R., W. R. Mahaffey, W. W. Slack, M. G. Vigneri and R. Werner (2001) "Overcoming Chemical Delivery Difficulties for In Situ Chemical Treatment Using the On-Contact Remediation Process." The Annual International Conference on Contaminated Soils, Sediments, and Water, Amherst, MA.

Adams, R. F.,. W. R. Mahaffey, W. W. Slack and M. G. Vigneri (2002) "In-Situ Chemical Oxidation Misfires and Recent Innovative Improvements." The 18th Annual International Conference on Contaminated Soils, Sediments and Water, Amherst, MA.

Adams, R., M. G. Vigneri, W. R. MaHaffey and W. W. Slack (2002) "Rapid Site Closure Using ICSO and Enhanced MNA to Achieve Site Closure - Case Studies." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Session D.4., Monterey CA. vol: 2H:49 Battelle Press

Agee, C., L. C. Murdoch, S. Brame and W. W. Slack (2000) "Effects of hydraulic fractures on well performance in saprolite." Southeastern Geol. Soc. Amer. Annual Meeting, Charleston, SC. GSA

Albertz, J., L. C. Murdoch, R. M. McCandless and A. Bodocsi (1987) "An algorithm for determining the stability of soil slopes assuming translational failure." 5th National Conference on Microcomputers in Engineering, Orlando, Florida. ASCE

Andrews, S. D., W. R. Mahaffey, V. Barlock and T. Santangelo-Dreiling (2002) "Methane-Enhanced In Situ Biological Degradation Of Chlorinated Hydrocarbons - A Case Study." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey. vol: 2B:55 Battelle Press

Arnason, J. G., M. Harkness, and B. Butler-Veytia. (2010) "A Magnetic Susceptibility Method for Evaluating Distribution of Zero-Valent Iron in the Subsurface" 7th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session D071., Monterey, CA.

Austrins, L. M. and C. Peace (2010) "Integrated Approach to the Remediation of Chlorinated Organic Compounds in Low Permeability Soils – A Field Study." The Remediation Technologies Symposium (RemTec), October 22, 2010. Banff Springs, Alberta.

Austrins, L. M. "Integrated Approach to the Remediation of Chlorinated Organic Compounds in Low-Permeability Soils: A Field Study". C-049, in: T.C. Fox and H.V. Rectanus (Chairs). Remediation of Chlorinated and Recalcitrant Compounds—2012. Eighth International Conference on Remediation of Chlorinated and Recalcitrant Compounds (Monterey, CA; May 2012).

Austrins, L. M. and J. West. "Incorporating Sustainability into Site Closure – A Field Example." G-023, in: T.C. Fox and H.V. Rectanus (Chairs). Remediation of Chlorinated and Recalcitrant



Compounds—2012. Eighth International Conference on Remediation of Chlorinated and Recalcitrant Compounds (Monterey, CA; May 2012).

Baird, A. M., G. Maalouf, D. McDonnell, T. Klutz and C. Sandefur (2002) "Significance Of Hydraulic Conductivity In Optimizing HRC® Delivery Into A Fractured Bedrock Aquifer." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey. vol: 2H:48 Battelle Press

Baird, A. M., C. Ross, N. Durant, W. Slack, "DPT Jet Injection for Rapid ZVI Delivery in Low-Perrmeability Zones: Key Results 2 Years After Full-Sacle Injection." 27<sup>th</sup> Annual International Conference on Soil, Water, Energy, and Air, March 2017. AEHS, San Diego, CA.

Beljin, M. and L. C. Murdoch (1995) Analytical solutions to the performance of interceptor trenches and drains. GWMI 94-07. International Ground Water Modeling Center, Golden, CO.

Benoit, Y., F. Haeseler, W. Slack, T. Broeker, K. E. Klint, B. Nilsson, T. Kasela and C. Tsakiroglou (2005) "Stimulating Soil Decontamination Within Fractured Soil At Kluczewo, Poland." ConSoil 2005.

Blem, B. C., H. H. Nielsen, E. V. Fischer, S. C. Nielsen, T. Broeker and B. Slack (2006). "Frakturer fra lodrette testboringer på Vestergade 10 Haslev." Miljøprojekt Nr. 1108 2006. http://www.mst.dk/Publikationer/Publikationer/2006/08/87-7052-155-7.htm

Robert Boudra, Karen Brungard and Belinda Butler-Veytia, "Field Application of Modified Fenton's Reagent and Potassium Permanganate" Proceedings of the Fifth International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, CA; May 2006.

Bradner, G. C. and L. C. Murdoch (2001) "Effects of Shallow Induced Fractures on the Performance of." AGU Fall Meeting, San Francisco. vol: 82:47 pages Fall Meeting Supplement, Abstract H52D-09.AGU

Bradner, G. C. (2002) "Effects of Shallow Induced Fractures on the Performance of Soil Vapor Extraction Wells." 10th Annual Hydrogeology Symposium, Clemson SC. pages 1-2.Dept. Geo. Sci., Clemson University

Bradner, G. C. (2002) Effects of Shallow Induced Fractures On the Performance of Soil Vapor Extraction Wells. A Thesis Submitted to the Department of Geological Sciences, Clemson University, Clemson, SC

Bradner, G. C. and L. Murdoch (2005) "Effects of Skin and Hydraulic Fractures on SVE Wells." J of Contaminant Hydrology 77:4 (217-297.)

Brodsky, P. H., and S. V. Ho. (1995) "In Situ Remediation of Contaminated Soil." United States Patent No. 5,398,756.



Karen Brungard, Belinda Butler-Veytia and Steve Hart, Sharon Hrabovsky. "Combination of Multiple Reductive Technologies for TCE Containment and Removal." Proceedings of the Fifth International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, CA; May 2006.

Bryant, D., W. Moody, S. Turkot, G. Y. Maalouf, P. Sanderson, B. Slack, and D. Knight. "Oxidants & Reductants Work Together." Pollution Engineering, May 2013.

Belinda Butler-Veytia, Ron Coringrato, and Glen Verplancke. "Full-Scale Implementation of Oxidant Solids Emplacement Using Hydraulic Fracturing" Proceedings of the Fifth International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, CA; May 2006.

Belinda Butler-Veytia, Karen Maestas, and Bryce Tobyne. "Continuous Oxidant Injection System for the Treatment of PCE." Proceedings of the Fifth International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, CA; May 2006.

Butler-Veytia, B., N. Cochran, B. Powers, S. Hrabovsky, and J. Wright. (2008) "Full-Scale Implementation: Bioremediation Using Hydraulic Fracturing for HRC® Emplacement and KB-1TM Injection." 6th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session E027., Monterey, CA.

Butler-Veytia, B., R. Coringrato, B. Powers, S. Hrabovsky, and J. Wright. (2008) "Full-Scale Implementation: ISCO Using Hydraulic Fracturing for Potassium Permanganate Emplacement." 6th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session E031., Monterey, CA.

Butler-Veytia, B., N. Cochran, B. Powers, S. Hrabovsky, and J. Wright. (2008) "Pilot Test Update: Bioremediation Using Hydraulic Fracturing for HRC® Emplacement and KB-1™ Injection." 6th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session E041., Monterey, CA.

Belinda Butler-Veytia, B., S. Hubbard, J. Ajo-Franklin, T. Daley, J. Peterson, E. Gasperikova, Y. Wu, and R. L. Kelley. "Evaluating Geophysical Imaging Techniques to Evaluate Delivery and Distribution of Amendments in Low Permeability Aquifers." A-08, in: H.V. Rectanus and R. Sirabian (Chairs), Bioremediation and Sustainable Environmental Technologies—2011. International Symposium on Bioremediation and Sustainable Environmental Technologies (Reno, NV; June 27–30, 2011).

Chang, Hong. <u>Hydraulic Fracturing in Particulate Materials</u>. Ph.D. Dissertation, School of Civil and Environmental Engineering, Georgia Institute of Technology. November 2004. (received 2005 The Best Ph.D. Thesis Award from the American Rock Mechanics Association.)



Chang, Paula R., A. D. Pantaleoni, and D. L. Shenk. (2010) "Jet-Assisted Injection of Nano-Scale, Zero-Valent Iron Treat TCE in a Deep Alluvial Aquifer." Seventh International Conference on Remediation of Chlorinated and Recalcitrant Compounds. Session D-098. Monterey, CA.

Chen, J. (1997) Characterization of In Situ Electroosmosis Using Conductive Fractures. Ph.D. Thesis submitted to The Department of Civil and Environmental Engineering, University of Cincinnati, Cincinnati, OH

Chen, J., S. Al-Abed, L. T. Bryndzia and L. C. Murdoch (1997) "Effects of cation exchange properties on soil chemistry during field scale electroosmosis using horizontal fractures." AGU Spring Meeting, Baltimore, MD. vol: 78:17 pages S174.AGU

Chen, J. and L. C. Murdoch (1997) "Field demonstration of in situ electroosmosis between horizontal electrodes." ASCE 1997 Annual Convention, Minneapolis, Minn. vol: Special Publication No. 71 ASCE

Chen, J. and L. C. Murdoch (1999) "Effects of Electroosmosis on natural soil: field test." Journal of Geotechnical and Geoenvironmental Engineering, 125:12 (1090-1098.)

Chen, J., S. Al-Abed, L. T. Bryndzia and L. C. Murdoch (in press) "Effects of cation transport and partitioning during a field test of electroosmosis." Water Resources Research

Chen, J. and L. C. Murdoch (submitted) "In-situ electroosmosis between horizontal electrodes: a field test." J. Geotech. Eng

Christiansen, C.M. (2010) *Methods for Enhanced Delivery on In Situ Remediation Amendments in Contaminated Clay Till*. A Thesis Submitted to the Department of Environmental Engineering, Technical University of Denmark.

Clark, J. B. (1949) "A Hydraulic Process for Increasing the Production of Wells." Trans. AIME 186 (1).

Cluxton, P. R., W. Harrar and L. C. Murdoch (1988) "Demonstration of computer-assisted engineering techniques for remedial action." 14th Annual USEPA Research Symposium, Cincinnati, OH. vol: 600/9-88/021 pages 611.US EPA

Copeland, R., Campbell, W., Slack, W. W., E. G. Gatliff, C. Creber (2009.) "Enabling Phytoremediation of Chlorinated Solvents in Tight Soils by Use of Hydraulic Fracturing" 10th International Symposium on In Situ and On-Site Bioremediation, Session I-103. Baltimore, MD.

Ron Coringrato, Belinda Butler-Veytia, and Glen Verplancke. "Field-Scale Pilot Test Evaluating Oxidant Emplacement Using Hydraulic Fracturing.:" Proceedings of the Fifth International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, CA; May 2006.



Davis, P. M. (1983) "Surface Deformation Associated With a Dipping Hydrofracture." Journal of Geophysical Research 88:B7 (5826-5834.)

Davis, P. M. (1986.) "Surface Deformation Due to Inflation of an Arbitrarily Oriented Triaxial Ellipsoidal Cavity in an Elastic Half-Space, With Reference to Kilauea Volcano, Hawaii" Journal of Geophysical Research 91 (7429–7438.)

Davis Hoover, W. J., L. C. Murdoch and S. J. Vesper (1994) "Field application of solid oxygen source for bioremediation." Symposium on Bioremediation, October 1993, Philadelphia. vol: ASTM STP 1235 American Society for Testing Materials

Davis-Hoover, W. J., S. J. Vesper and L. C. Murdoch (1992) "Delivery techniques and enhancement of bioremediation for in situ restoration of contaminated subsurface soils." Subsurface Restoration Conference, Dallas, TX.

Davis-Hoover, W. J., L. C. Murdoch, S. J. Vesper, H. R. Pahren, O. L. Sprockel, C. L. Chang, A. Hussain and W. A. Ritschel (1993) "Hydraulic Fracturing to Improve Nutrient and Oxygen Delivery for In Situ Bioreclamation." In Situ and On-Site Bioreclamation, San Diego. pages 67-82.Butterworth - Heinemann, Stoneham, MA

Davis-Hoover, W. J., L. C. Murdoch and S. J. Vesper (1995) "Field Application of Solid Oxygen Source for Bioremediation." in Bioremediation of Pollutants in Soil and Water, Schepart, B. S. (ed) Pages 233-242. American Society of Testing and Materials, Philadelphia.

Davis-Hoover, W. J., M. H. Roulier, L. T. Bryndzia, J. G. Herrmann, L. M. Vane, L. C. Murdoch and S. J. Vesper (1995) "Hydraulic Fractures as Anaerobic and Aerobic Biological Treatment Zones." 21st RREL Research Symposium, Cincinnati. vol: 600/F94/046 pages 323-324.USEPA

Davis-Hoover, W. J., M. C. Kemper, P. R. Cluxton, S. Al-Abed, M. H. Roulier, L. T. Bryndzia, W. W. Slack, L. C. Murdoch and S. Al-Abed (1998) "In situ horizontal lasagna treatment of TCE in soil using bioremediation and zero-valent iron dechlorination compared to natural attenuation: a preliminary report." International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session D.6., Monterey, CA.

Davis-Hoover, W. J., M. H. Roulier, L. T. Bryndzia, L. C. Murdoch, M. C. Kemper, P. R. Cluxton, S. Al-Abed, W. W. Slack and O. L. Sprockel (1999) "Horizontal Lasagna to Bioremediate Trichloroethylene In Situ." Midwest Focus Groundwater Conference, National Groundwater Association, Chicago. National Groundwater Association

Davis-Hoover, W. J., L. T. Bryndzia, M. H. Roulier, L. C. Murdoch, M. C. Kemper, P. R. Cluxton, S. Al-Abed, W. W. Slack and S. J. Vesper (1999) "In Situ Bioremediation Utilizing Horizontal Lasagna." Fifth International Sysposium for In Situ and On-Site Bioremediation, San Diego, CA. vol: 5(2) pages 263-267.Battelle Press



Davis-Hoover, W. J., D. Feldhake, J. J. Fleischman, J. Goetz, K. Hristova, S. C. Hunt, M. C. Kemper, K. Knutson, W. R. MaHaffey, M. H. Roulier, K. Scrow, S. A. Stavnes, H. Black and D. J. Slomczynski (2002) "Degradation of MTBE by Psychrophilie Bacteria." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Session E.9., Monterey, CA.

Davis-Hoover, W. J., J. J. Fleischman, J. Goetz, K. Hristova, S. C. Hunt, M. C. Kemper, K. Knutson, W. R. MaHaffey, M. H. Roulier, K. Scrow, D. J. Slomczynski and S. A. Stavnes (2003) "BETX/MTBE Bioremediation with Bionets Containing Isolite, PM1, Solid Oxygen Source." 7th International Symposium on In Situ and On-Site Bioremediation Session D.11., Orlando, FL. Battelle Press

Dinwiddie, C. L., F. J. Molz, L. C. Murdoch and J. W. Castle (1999) "A New Mini-Permeameter Probe and Associated Analytical Technique for Measuring the In Situ Spatial Distribution of Permeability." AGU Fall Meeting, San Francisco. vol: 80:48 pages Fall Meeting Supplement, Abstract H21C-04.AGU

Du, Y., A. Aydin and L. C. Murdoch (1993) "Incremental growth of a shallow hydraulic fracture." 34th Symposium on Rock Mechanics, Madison, WI.

Du, Y., A. Aydin and L. C. Murdoch (1993) "Incremental growth of a shallow hydraulic fracture at a waste remediation site, Oakbrook, Illinois from inversion of elevation changes." International Journal of Rock Mechanics and Mining Science 30:7 (1273-1279.)

Duchene, M., B. Slack and D. Bryant (2006) "Placement of Zero-Valent Iron by Hydraulic Fracturing." Fifth International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, California. pages C-20.Battelle Press, Columbus, OH

Dunlap, J. D. (2000) Hydraulic and Physical Properties of Soil-Cement and Soil-Cement-Bentonite Materials for In Situ Barriers. A Thesis Submitted to the Department of Civil and Environmental Engineering, University of Cincinnati, Cincinnati, OH

Durant, N., C. Ross, O. Cadwalader, B. Slack, C. Christiansen, and M. Terkelsen. (2013) "Pilot Test Evaluation of High-Pressure Jet Injection for In situ Remediation of Low-Permeability Zones." NGWA Conference on Groundwater in Fractured Rock and Sediments, September 2013, Burlington, VT.

Eberle, D., C. Ross, N. Durant, W. Slack, P. Johansen, E. B. Weeth, and T. H. Jorgensen (2017). "Jet Injection Emplaced mZVI Treatment of TCE in Clay Till: Two Years of Performance Monitoring." 33<sup>rd</sup> Annual Internatinoal Conference on Soils, Sediments, Water, and Energy., October 2017. AEHS, Amherst, MA.

Elliott, Deborah. (2008) "Counter Contamination: An Uphill Battle." Pollution Engineering. March 1, 2008.

Fleischman, J. J., C. A. Yorke, S. C. Hunt, T. O. Meiggs, W. R. MaHaffey and W. W. Slack (2002) "Anaerobic In Situ Bioremediation of Chlorinated Solvents At An Industrial Site." 3rd Conference



on Remediation of Chlorinated and Recalcitrant Compounds, Session D.4., Monterey, CA. vol: 2H:45 Battelle Press

Franco, J., L. C. Murdoch, K. Jha, K. Savage and J. G. Uber (1992) "Graphical remedial assessment and cost evaluation (GRACE): a hydrologic and economic-based environmental design tool." Geological Society of America Annual Meeting, Cincinnati, OH.

Frank, U. and N. Barkley (1995) "Remediation of low permeability subsurface formations by fracturing enhancement of soil vapor extraction." J Hazardous Materials 40 (191-201.)

Germanovich, L. N., Hurt, R. S., Huang, H., (2007) Hydraulic fracturing in saturated cohesionless materials, Eos Trans. AGU, 88(52), Fall Meeting Suppl., Abstract H11B-0492

Germanovich, L. N. and L. C. Murdoch (2010) "Injection of solids to lift coastal areas." Proc. R. Soc. A 2010 466, 3225-3252 first published online 28 May 2010 doi: 10.1098/rspa.2010.0033

Germanovich, L.N., Hurt, R.S., Ayoub, J. and Norman, W.D., 2011, Toughness-Dominated Regime of Hydraulic Fracturing in Cohesionless Materials, AGU Fall Meeting Abstract H13H-01.

Germanovich, L. N., Hurt, R. S., Ayoub, J. A., Siebrits, A., Norman, W.D., Ispas, I., Montgomery, C. Experimental Study of Hydraulic Fracturing in Unconsolidated Materials, 2012, SPE paper 151827-MS, SPE International Symposium and Exhibition on Formation Damage Control, Lafayette, Louisiana, 15–17 February 2012, DOI: 10.2118/151827-MS (689 downloads by 12-31-2015 from the SPE website)

Germanovich, L. N. 2012, Parameters Controlling Hydraulic Fracturing and Fracture Tip-Dominated Leakoff in Unconsolidated Sands, SPE Paper 160140-MS SPE Annual Technical Conference and Exhibition, 8-10 October 2012, San Antonio, Texas, USA, DOI: 10.2118/160140-MS (399 downloads by 12-31-2015 from the SPE website)

Gillham, R. W. and D. R. Burris (1992) "In situ treatment walls - chemical dehalogenation, denitrification, and bioaugmentation." Subsurface Restoration Conference, Dallas, Texas. pages 66-68.

Gillham, R. W. (1993) Cleaning Halogenated Contaminants from Groundwater. 5266213.

Grady, D. E. (1997) Remediation of LNAPL in a Naturally Fractured Clay Till: Physical and Numerical Modeling. Ph.D. Dissertation, Oregon Graduate Institute, Beaverton, Oregon.

Gwaba, D. C., Germanovich, L. N., Hurt, R. S., Ayoub, J., & Stanchits, S. (2019, August 28). Laboratory Study of Hydraulic Fracturing Behavior of Weakly-Consolidated Sediments Under True-Triaxial Stress Regimes. American Rock Mechanics Association.

Hall, R. and L. C. Murdoch (2003) "The Effects of Hydraulic Fracturing on Air Sparging in Saprolite." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 9.Dept. Geo. Sci., Clemson University



Hall, R., L. Murdoch, D. L. Freedman, and B, Riha (2011) "Aerosol Delivery for Biostimulation/Bioaugmentation of Contaminated Vadose Zones." International Symposium on Bioremediation and Sustainable Environmental Technologies, Reno Nevada, June 2011.

Hall, R. (2012) "Microcosm Experiments for Characterizing Aerosolized Amendment Delivery during Bioaugmentation/Biostimulation in Unsaturated Material" The 20th Annual David S. Snipes/Clemson Hydrogeology Symposium, Clemson University. April 2012.

Hall, R. J., L. C. Murdoch, B. D. Riha, and B. B. Looney (2012) "Reductive Dechlorination of TCE using Aerosol Delivery for Biostimulation/Bioaugmentation in Unsaturated Porous Media." Remediation of Chlorinated and Recalcitrant Compounds. Monterey, California, May 21-24, 2012.

Hall, R. J., W. W. Slack, and D. E. Knight (2012) "Alternative Methods for Injecting Potassium Permanganate Granules into Contaminated Formations." Remediation of Chlorinated and Recalcitrant Compounds. Monterey, California, May 21-24, 2012.

Hall, R. J., W. W. Slack, D. E. Knight, and L. C. Murdoch (2013) "Influence of High Permeability Proppant-Filled Hydraulic Fractures on Ambient Groundwater Flow Fields and Resulting Benefits for Passive Remediation." REMTEC Conference. Westminister, Colorado.

Hall, R. J. and W. W. Slack. (2013) "Hydraulic Fractures as Passive Captors" Bioremediation and Sustainable Environmental Technologies Conference. Jacksonville, FL. June 10-13, 2013.

Harkness, M., B. Butler-Veytia, F. Nchako, T. Antonoff, and J. Arnason (2011). "Comparison of Three Delivery Methods: Evaluation of ZVI Distribution using Magnetic Susceptibility." International Symposium on Bioremediation and Sustainable Environmental Technologies, Reno Nevada, June 2011.

Harkness, M., B. Butler-Veytia, F. Nchako, T. Antonoff, and J. Arnason (2011). "A Field Guide to Using Magnetic Susceptibility to Evaluate Subsurface Distribution of Zero-Valent Iron." International Symposium on Bioremediation and Sustainable Environmental Technologies, Reno Nevada, June 2011.

Hart, P. H. (1997) Dewatering and Soil Vapor Extraction Using Hydraulic Fractures. A Thesis Submitted to the Department of Civil and Environmental Engineering, University of Cincinnati, Cincinnati, OH

Hashish, M. and M. P. Plessis. (1979). Prediction Equations Relating High Velocity Jet Cutting Performance to Stand Off Distance and Multipasses. J Engineering for Industry. ASME. Vol 101, 311.

Henley, J. J., J. G. Uber and L. C. Murdoch (2001) "The Hopscotch Method for Simulating Transient Well Tests." AGU Fall Meeting, San Francisco. vol: 82:47 pages Fall Meeting Supplement, Abstract H21A-0283.AGU

# $\underline{FR}_{\mathcal{X}}$

# Fracturing Bibliography

- Henley, J. J. and L. C. Murdoch (2002) "The Hopscotch Method For Fast Simulations of Transient Groundwater Flow." 10th Annual Hydrogeology Symposium, Clemson, SC. pages 12.Dept. Geo Sci., Clemson University.
- Ho, S. V., P. W. Sheridan, C. J. Athmer, , M. A. Heitkamp, J. M. Brackin, D. Weber, and P. H. Brodsky (1995) "Integrated In Situ Soil Remediation Technology: The Lasagna Process." Environmental Science & Technology. Vol 29. No. 10. p 1095.
- Ho, S. V. and P. H. Brodsky. (1995) "In Situ remediation of Contaminated Heterogeneous Soils." United States Patent No. 5,476,992.
- Ho, S. V., C. Athmer, P. W. Sheridan, and A. Shapiro (1997) "Scale-up Aspects of the Lasagna Process for In Situ Soil Decontamination." J. Hazardous Material. Vol 55. pp 39-60.
- Ho, S. V., C. Athmer, J. M. Brackin, M. A. Heitkamp, P. W. Sheridan, D. Weber, and P. H. Brodsky (1998) "The Lasagna Process for In Situ Bioremediation of Low Permeability Soils." Appearing in Bioremediation: Principals and practice, Vol III: Bioremediation Technologies. S. K. Sikdar and R. L. Irvn, ed. Technomic Publishing. p 393.
- Ho, S. V., C. Athmer, P. W. Sheridan, B. M. Hughes, R. Orth, D. McKenzie, P. H. Brodsky, A. Shapiro, R. Thorton, J. Salvo, D. Schultz, R. Landis, R. Griffith and S. Shoemaker (1999) "The Lasagna Technology for In Situ Soil remediation. 1. Small Field Test." Environmental Science & Technology. Vol 33. No. 7. p 1086.
- Ho, S. V., C. Athmer, P. W. Sheridan, B. M. Hughes, R. Orth, D. McKenzie, P. H. Brodsky, A. Shapiro, R. Thorton, T. M. Sivavec, J. Salvo, D. Schultz, R. Landis, R. Griffith and S. Shoemaker (1999) "The Lasagna Technology for In Situ Soil remediation. 2. Large Field Test." Environmental Science & Technology. Vol 33. No. 7. p 1092.
- Hocking, G., S. L. Wells and C. N. Givens (2002) "Performance Of A Fracture-Enhanced Dual-Phase Soil Vapor Extraction System." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey. vol: 2E:10 Battelle Press
- Hong, C., L. N. Germanovich, J. C. Santamarina and P. E. Diji (2003) "Hydraulic Fracturing In Particulate Materials." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 3.Dept. Geo. Sci., Clemson University
- Howard, G. C. and C. R. Fast (1970) Hydraulic Fracturing. Society of Petroleum Engineers, Dallas.
- Huang, H., F. Zhang, P. Callahan, & J Ayoub. (2012) "Granular Fingering in Fluid Injection Into Dense Granular Media in a Hele-Shaw Cell. Physical review of Letter 108, 258001. 22 June 2012.
- Hunt, S. (1996) Method and System for Bioremediation of Contaminated Soil Using Inoculated Diatomaceous Earth. 5,570,973.



Hunt, S., T. Meiggs (1997) Method for In-Situ Bioremediation of Contaminated Ground Water. 5,626,437.

Hunt, S. C., T. O. Meiggs, L. C. Murdoch and W. W. Slack (1998) Method and system for bioremediation of contaminated soil using innoculated support spheres. US Patent No. 5733067.

ITRC (Interstate Technology & Regulatory Council) (2011). Permeable Reactive Barriers: Technology Update. PRB-5. Washington, D.C.: Interstate technology & Regulatory Council, PRB: Technology Update Team. www.itrcweb.org.

Johnson, R.L., D.E. Grady and T. Walden, 1997. Remediation of a Fractured Clay Soil Contaminated With Gasoline Containing MTBE. Proc. of the Petroleum Hydrocarbons and Organic Chemicals in Ground Water Conf., Houston.

Johnson, R.L. and D.E. Grady, 1998. Remediation of a Fractured Clay Till Using Air Flushing: Field Experiments at Sarnia, Ontario. API, Publ. No. DR 225.

King, G. E. (2012) "Hydraulic Fracturing 101: What Every Representative, Environmentalist, Regulator, Reporter, Investor, University Researcher, Neighbor and Engineer Should Know About Estimating Frac Risk and Improving Frac Performance in Unconventional Gas and Oil Wells." SPE No. 152596 presented at the Hydraulic Fracturing Technology Conference held in The Woodlands, Texas, USA, 6–8 February 2012. Society of Petroleum Engineers, Dallas, TX.

Kelly, S. E. (2001) Methods for Determining the Hydrological Characteristics of Streambeds. A Thesis Submitted to the Department of Geological Sciences, Clemson University, Clemson, SC

Kluger, M. (2003) "Affecting Subsurface Fluid Flow to Improve Remediation Processes." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 10-11.Dept. Geo. Sci., Clemson University

Klutz, T., A. M. Baird, G. Maalouf, D. McDonnell and C. (. Sandefur (2002) "Accelerated Bioremediation Of Trichloroethylene: A Comparison Between Saprolite And Crystalline Bedrock Aquifers." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey. vol: 2C:46 Battelle Press

Knight, D. E. and W. W. Slack (2004) "Delivering Various Reduction and Oxidation Chemicals Via Hydraulic Fracturing." The Third International Conference on Oxidation and Reduction Technologies for In Situ Treatment of Soil and Groundwater, San Diego, CA., San Diego, California.

Doug Knight, Jim Richardson, Todd Herrington, and Belinda Butler-Veytia. "Delivering HRC with Hydraulic Fracturing." Proceedings of the Ninth International In Situ and On-Site Bioremediation Symposium, Baltimore, Maryland; May 7–10, 2007.



Knight, D. E. and W. W. Slack. (2010) "Comparison of Techniques for Creation of Iron-Filled Hydraulic Fractures" 7th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session D102., Monterey, CA.

Knight, D. E., D. Bryant, and B. Rundell. (2012) "Influence of Fracture Slurry Loading Upon Remediation Performance." Remediation of Chlorinated and Recalcitrant Compounds. Monterey, California, May 21-24, 2012.

Knight, D.E., A. M. Baird, and W. W. Slack. (2017) "Full Scale Treatment of a Large, Dissovled Lead Plume: Injection Approach, Field Operations, and Distribution Assessment." 4th International Symposium on Bioremediation and Sustainable Environmental Technologies. Miami, May 2017.

Kozar, M. S., B. E. Duffy and W. M. Street (2002) "Enhanced Degradation Of Chlorinated Solvents In Fractured Rock Ground Water Using Subsurface Injection Of HRC." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey. vol: 2C:42 Battelle Press

Lundy, D. A., C. J. Carieo and M. M. Westerheim (1994) "Hydrofracturing bedrock to enhance DNAPL recovery." 8th annual NGWA national outdoor action conference, Minneapolis, MN.

Lecampion, B., R. Jeffrey, and E. Detournay. (2004) "Real-time Estimation of Fracture Volume and Hydraulic Fracturing Treatment Efficiency." American Rock Mechanics Association. 6<sup>th</sup> North America Rock Mechanics Symposium, Houston. ARMA/NARMS 04-519.

Lecampion, B., R. Jeffrey, and E. Detournay. (2005) "Resolving the Geometry of Hydraulic Fractures from Tilt Measurements." Pure and Applied Geophysics 162, 2433-2452.

Love, A. E. H. (1927). A Treatise on the Mathematical Theory of Elasticity. Dover, New York.

Maalouf, G., D. Bryant, P. Sanderson, B. Slack, N. Toyama. "Overcoming the Challenges of Remediation in Fractured Bedrock – A Novel Approach." AEG News, 56 (4), pp 32-36. December 2013.

MaHaffey, W. R., R. D. Resseguie and C. M. Mickel (2001) "Application of Fenton's Based Chemical Oxidation to Chlorinated Pesticide Impacted Soil." American Association of Petroleum Geologists (AAPG) Annual Meeting, Denver, CO.

Martin, M. and O. R. West (2002) In Situ Chemical Oxidation Through Lance Permeation at the Portsmouth Gaseous Diffusion Plants (PORTS). ORNL/TM-2002/272. Oak Ridge National Lab, Oak Ridge. http://www.ornl.gov/~webworks/cppr/y2001/rpt/115641.pdf

McCandless, R. M., A. Bodocsi and P. R. Cluxton (1987) Geotechnical Analysis for Review of Dike Stability (GARDS). EPA/600/S2-86/109. US EPA Hazardous Waste Engineering Research Laboratory, Cincinnati.



McClendon, W., M. Hildebrandt, J. Shrimp, B. Bigelow, and J. Hesemann. (2009) "Enhanced Anaerobic Bioremediation using CAP18™ as a Polishing Application for CVOC-Impacted Groundwater." 10th International Symposium on In Situ and On-Site Bioremediation, Session L-079. Baltimore, MD.

Meiggs, T. O., J. J. Fleischman, W. J. Davis-Hoover, S. A. Stavnes and W. R. MaHaffey (2001) "BioLuxing for Enhanced Bioremediation of Petroleum Hydrocarbons." American Association of Petroleum Geologists (AAPG) Annual Meeting, Denver, CO.

Mindlin, R. D. (1936) "Force at a Point in the Interior of a Semi-Infinite Solid." Physics 7,195-202.

Moline, J., C. Mathenia, and M. Dingens. (2009) "Cleaning Up Groundwater in Place." Pollution Engineering. P24. November 2009.

Murdoch, L. C. (1983) "General characteristics of some mineralized breccia structures." Geological Society America Meeting,

Murdoch, L. C., G. Holzhausen and J. Roegiers (1987) Innovative delivery and recovery systems: hydraulic fracturing. EPA 68-03-3379. USEPA, Cincinnati.

Murdoch, L. C. (1988) "Innovative delivery and recovery using hydraulic fracturing." 14th Annual USEPA Research Symposium, Cincinnati, OH. vol: 600/9-88/021 pages 613.US EPA

Murdoch, L. C., B. Patterson, G. Losonsky and W. Harrar (1989) Technologies of delivery or recovery for the remediation of hazardous waste sites. No. PB90-156 225/AS. National Technical Information Service, Springfield, VA.

Murdoch, L. C., B. Patterson, G. Losonsky and W. Harrar (1989) Technologies of delivery or recovery for the remediation of hazardous waste sites.. EPA/600/S2-89/066. USEPA, Cincinnati.

Murdoch, L. C. (1990) "A field test of hydraulically fracturing glacial till." 15th Annual USEPA Research Symposium, Cincinnati. vol: EPA/600/9-90/006 pages 164-174.USEPA

Murdoch, L. C., G. Losonsky, I. Klich and P. R. Cluxton (1990) "Hydraulic fractures to increase fluid flow." 3rd KFK/TNO Conference On Contaminated Soils, Karlsruhe, Germany. pages 1087-1094.Kluwer Academic Publisher, Netherlands

Murdoch, L. C., G. Losonsky, I. Klich and P. R. Cluxton (1990) "Increased Permeability of Soils by Hydraulic Fracturing: A Field Test." 21st Ohio River Valley Soil Seminar, Cincinnati.

Murdoch, L. C., G. Losonsky, P. R. Cluxton, B. Patterson, I. Klich and B. Braswell (1991) Feasibility of hydraulic fracturing of soil to improve remedial actions. EPA/600/S2-91/012. US EPA Risk Reduction Engineering Laboratory, Cincinnati.



Murdoch, L. C., G. Losonsky, P. Cluxton, B. Patterson, I. Klich and B. Braswell (1991) Feasibility of hydraulic fracturing of soils to improve remedial actions. No. PB91-181 818/AS. National Technical Information Service, Springfield, VA.

Murdoch, L. C. (1991) Hydraulic Fracturing of Soil. A Thesis Submitted to the Department of Geology, University of Cincinnati, Cincinnati, OH

Murdoch, L. C., M. C. Kemper and A. J. Wolf (1992) "Hydraulic fracturing to improve delivery and recovery." Air and Waste Management Association Conference, Cincinnati, OH.

Murdoch, L. C., M. C. Kemper and A. J. Wolf (1992) "Hydraulic fracturing to improve in situ remediation of contaminated soil." Annual Geological Society of America Meeting, Cincinnati, OH.

Murdoch, L. C. (1992) "In situ delivery and recovery of liquids to facilitate corrective actions." in RCRA Corrective Action and Stabilization Technologies, EPA/625/R-92/014, Pages 41-52. USEPA, Cincinnati.

Murdoch, L. C. (1992) "Some recent developments in delivery and recovery: hydraulic fracturing and directional drilling." 2nd Environmental Technology Exposition and Conference, Washington, D. C..

Murdoch, L. C. (1993) "Hydraulic fracturing of soil during laboratory experiments, Part 2: Propagation." Geotechnique 43:2 (266-276.)

Murdoch, L. C. (1993) "Hydraulic fracturing of soil during laboratory experiments, Part 3: Theoretical Analysis." Geotechnique 43:2 (277-287.)

Murdoch, L. C. (1993) "Hydraulic Fracturing of Soil During Laboratory Experiments, Part I: Methods and Observations." Geotechnique 43:2 (255-265.)

Murdoch, L. C. and J. Franco (1994) "Analysis of Constant Head Wells Using Instantaneous Source Functions." Water Resources Research 30:1 (117-124.)

Murdoch, L. C., M. C. Kemper and W. W. Slack (1994) "Applications of hydraulic fractures during in situ remediation." 1st Hawaiian National Remediation Technology Conference, Honolulu, HI.

Murdoch, L. C., M. C. Kemper, M. Narayanaswamy and A. J. Wolf (1994) Demonstration of Hydraulic Fracturing to Facilitate Remediation. HWRIC RR-068. Illinois DNR Hazardous Waste Research & Information Center, Champaign, IL.

Murdoch, L. C. (1994) "Field applications of hydraulic fractures in Ohio." Ohio Academy of Sciences Annual Meeting, Toledo, OH.

Murdoch, L. C. (1994) "Transient analysis of an interceptor trench." Water Resources Research 30:11 (3023-3032.)



Murdoch, L. C., D. Wilson, K. Savage, W. W. Slack and J. G. Uber (1995) Alternative Methods for Fluid Delivery and Recovery. EPA/625/R-94/003. USEPA, Cincinnati.

Murdoch, L. C. and M. Beljin (1995) Analytical Solutions to the Performance of Interceptor Trenches and Drains. USEPA, Cincinnati.

Murdoch, L. C. (1995) "Forms of hydraulic fractures created during a field test in fine-grained glacial drift,." Quarterly Journal of Engineering Geology 28 (23-35.)

Murdoch, L. C. (1995) "Hydraulic and Impulse Fracturing Techniques to Improve Remediation." in Petroleum Contaminated Low Permeability Soil: Hydrocarbon Distribution Processes, Exposure Pathways and In Situ Remediation Technologies, Publication Number 4631, American Petroleum Institute, Washington, DC.

Murdoch, L. C., J. Chen, P. R. Cluxton, M. C. Kemper, J. Anno and D. Smith (1995) "Hydraulic Fractures as Subsurface Electrodes: Early Work on the Lasagna Process." 21st RREL Research Symposium, Cincinnati. vol: 600/F94/046 pages 318-322.USEPA

Murdoch, L. C., W. W. Slack, R. L. Siegrist, S. J. Vesper and T. O. Meiggs (1997) "Advanced hydraulic fracturing methods to create in situ reactive barriers." International Containment Technology Conference and Exhibition, St. Petersburg, FL. Battelle Press

Murdoch, L. C. and J. Chen (1997) "Effects of conductive fractures during in situ electroosmosis." Journal of Hazardous Materials 55 (239-262.)

Murdoch, L. C., W. W. Slack, R. L. Siegrist, S. J. Vesper and T. O. Meiggs (1997) "Hydraulic fracturing advances." Civil Engineering, May 1997 pages 10A-12A.

Murdoch, L. C., W. W. Slack, W. Harrar, R. L. Siegrist and T. Whiting (1998) "Arrays of sidewall sensors to monitor subsurface conditions." 4th International Symposium on Environmental Geotechnology, Boston, MA.

Murdoch, L. C., W. W. Slack, W. Harrar, R. L. Siegrist and T. Whiting (1998) "Sidewall sensors for measuring in situ properties." International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session A.10., Monterey, CA.. vol: C1:1 pages 45-50.Battelle Press

Murdoch, L. C., W. W. Slack, W. Harrar, B. Nilsson and R. L. Siegrist (1998) "Sidewall sensors for monitoring fractured clay till." Mass Transport in Fractured Aquifers and Aquitards Conference, Copenhagen, DK.

Murdoch, L. C., W. W. Slack, W. Harrar, B. Nilsson and R. L. Siegrist (1999) "Sidewall sensors for monitoring fractured clay till." Journal of Nordic Hydrology 30:4/5 (257-266.)

Murdoch, L. C., W. W. Slack, W. Harrar and R. L. Siegrist (2000) "Embedded Sidewall Samplers And Sensors To Monitor The Subsurface." Ground Water 38:5 (657-664.)



Murdoch, L. C., J. R. Richardson and W. W. Slack (2000) "Hydraulic fractures in fine-grain materials." Southeastern Geol. Soc. Amer. Annual Meeting, Charleston, SC.

Murdoch, L. C. (2000) "Remediation of Organic Chemicals in The Vadose Zone." in Vadose Zone, Science and Technology Solutions, Looney, B. B. and R. W. Falta (ed) Pages 948-1237. Battelle Press, Columbus, OH.

Murdoch, L. C. (2000) "The Response of a Pumping Well to Distributed Recharge." AGU Fall Meeting, San Francisco. vol: 81:48 pages Fall Meeting Supplement, Abstract H72B-35.AGU

Murdoch, L. C. and W. Harrar (2001) "The Transmissive Confining Unit, a New Type of Conceptual Model For An Aquifer System." 9th Annual Hydrogeology Symposium, Clemson SC. pages 11.Dept. Geo. Sci., Clemson University

Murdoch, L. C. and W. W. Slack (2002) "Forms of Hydraulic Fractures in Shallow Fine-Grained Formations." Journal of Geotechnical and Geoenvironmental Engineering 128:6 (479-487.)

Murdoch, L. C. (2002) "Mechanical Analysis of Idealized Shallow Hydraulic Fractures." Journal of Geotechnical and Geoenvironmental Engineering 128:6 (488-495.)

Murdoch, L. C., J. R. Richardson, Q. Tan, S. C. Malin and C. Fairbanks (2006) "Forms and Sand Transport in Shallow Hydraulic Fractures in Residual Soil." Canadian Geotechnical Journal 43:10 (1061-1073.)

Murdoch, L.C., Germanovich, L.N. (2006) "Analysis of a deformable fracture in permeable material." International Journal for Numerical and Analytical Methods in Geomechanics 30, (529–561.)

Murdoch, L. (2019) "Recent Developments on Hydromechanical Well Testing." The 27<sup>th</sup> Annual David S. Snipes/Clemson Hydrogeology Symposium, Clemson University. April 2019.

Nilsson, B., D. Tzovolou, M. Jeczalik, T. Kasela, J. Gudbjerg, W. Slack, K. E. Klint, F. Haeseler, C. D. Tsakiroglou, "Combining Steam Injection With Hydraulic Fracturing For The In Situ Remediation Of The Unsaturated Zone Of A Fractured Soil Polluted By Jet Fuel." Journal Environmental Management.

Norris, R. D., R. E. Hinchee, R. Brown, P. L. McCarty, L. Semprini (1993) In Situ Bioremediation of Ground Water and Geological Materials: A Review of Technologies. EPA/600/R-93/124 NTIS No. PB93-215564/XAB. Robert S Kerr Environmental Research Lab.

Olsen, M. R., T. C. Sale, C. D. Shackelford, C. Bozzini, J Skeean (2012) "Chlorinated Solvent Source-Zone Remediation via ZVI-Clay Soil Mixing: 1-Year Results." Ground Water Monitoring & Remediation 32, No. 3 (Summer 2012) pp 63-74.



Passinos, P. V. and L. C. Murdoch (2000) "A Pumping Test to Estimate the Hydraulic Properties of a Vertical Layer." AGU Fall Meeting, San Francisco. vol: 81:48 pages Fall Meeting Supplement, Abstract H72B-36.AGU

Peace, C. and L. M. Austrins (2010) "Evaluation of the Propagation of Secondary Fractures from Hydraulic Fracture and Injection to Create a Treatment Zone in Low Permeability Fractured Clay Soils." The Remediation Technologies Symposium (RemTec), October 22, 2010. Banff Springs, Alberta.

Perkins, T. K., and L. R. Kern (1961). "Widths of Hydraulic Fractures." J Petroleum Technology (Sept 1961), AIME, 222, 937-949.

Rajaram, V. and P. Banerjee (1993) Hydraulic Fracturing Technology - Applications Analysis and Technology Evaluation Report. EPA/540/R-93/505. US EPA Office of Research and Development, Cincinnati, OH.

Ramaley, S. B. (2005) "Optimizing Delivery and Distribution for Successful Implementation of Insitu Reactive Zones for Biostimulation." 13th Annual David S. Snipes / Clemson Hydrogeology Symposium, Clemson, SC. pages 24.Clemson University, Dept Geological Sciences

Ray, D., G. Birk, and D. Alden. (2015) "Optimizing Gas Delivery System for Cometabolic Bioremediation of 1,4-Dioxane." 3<sup>rd</sup> International Symposium on Bioremediation and Sustainable Environmental Technologies (A082, Miami, FL; May 2015).

Rhine, E. (2003) "In Situ remediation of Carbon Tetrachloride Using Enhanced Reductive Dechlorination and Hydraulic Fracturing." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 12-13.Dept. Geo. Sci., Clemson University

Richardson, J. R., S. Malin and Q. Tan (2002) "Characteristics and Design of Hydraulic Fractures in Saprolite." 10th Annual Hydrogeology Symposium, Clemson SC. Dept. Geo. Sci., Clemson University

Richardson, J. R. (2003) Forms of Hydraulic Fractures at Shallow Depths in Piedmont Soils. A Thesis Submitted to the Department of Geological Sciences, Clemson University, Clemson, SC

Richardson, J. R., Q. Tan and L. C. Murdoch (2003) "The Form of Hydraulic Fractures at Shallow Depths in Piedmont Soils." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 23-24.Dept. Geo. Sci., Clemson University

Richardson, J. R. and W. W. Slack. (2004) "Development of a Method for In Situ Delivery of Granular Potassium Permanganate." The Third International Conference on Oxidation and Reduction Technologies for In Situ Treatment of Soil and Groundwater, San Diego, CA.

Riha, B. D., K. L. Dixon, W. K. Hyde, L. Murdoch, R. Hall. (2005.) Evaluation of Enhanced VOC Removal with Soil Fracturing in the SRS Upland Unit. Savannah River National Laboratory. Aiken, SC. WSRC-TR-2005-00415



Riha, B. D., W. K. Hyde, and R. Hall. (2008) "Fracture Enhanced Soil Vapor Extraction Technology Demonstration at the A-014 Outfall" Savannah River National Laboratory. Aiken, SC. WSRC- STI-2008-00141.

Robinson, D., R. A. Brown, C. Christiansen, R. Patel and W. W. Slack (2002) "In Situ Treatment of Copper Contamination using Direct Injection of Lime Slurries." The Second International Conference on Oxidation and Reduction Technologies for In Situ Treatment of Soil and Groundwater, Toronto, Ontario.

Roulier, M. H., M. C. Kemper, S. Al-Abed, L. C. Murdoch, P. R. Cluxton, J. Chen and W. J. Davis-Hoover (2000) "Feasibility of electrokinetic soil remediation in horizontal Lasagna cells." Journal of Hazardous Materials: B77 (161-176.)

Ross, C.M., Durant, N., Slack, W.W., Terkelsen, M., Christiansen, C., "Direct Push High-Pressure Jet Injection Method for In situ Remediation of Low-Permeability Zones," Danish Academy of Technical Sciences (ATV) – Winter Meeting 2014, Vejle, Denmark, March 11-12, 2014.

Rundell, B., B. Khona, B. White, N. Teamerson, and B Dynkin (2010.) "Enhanced Potassium Permanganate Slurry Injection in Fractured Bedrock Utilizing Hydraulic Fracturing." 7th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session D089., Monterey, CA.

Sadeghi, V., J. Kim, S. Dworatzek, G. Birk, and D. Knight. (2015) "Cometabolic Bioremediation of TCE and 1,4-Dioxane with Methane and Oxygen at Air Force Plant 44." 3<sup>rd</sup> International Symposium on Bioremediation and Sustainable Environmental Technologies (A077, Miami, FL; May 2015).

Sadeghi, V., R. Mora, R. Jacob, and D. Chang. (2016). "Characterizing In Situ Methane-Enhanced Biostimulation Potential for 1,4-Dioxane Biodegradation in Groundwater: In Situ Methane-Enhanced Biostimulation Potential for 1,4-Dioxane Biodegradation." Remediation Journal. 27. 115-132. 10.1002/rem.21500.

Savage, K., L. C. Murdoch and J. Franco (1993) "GRACE: Predictive modeling of remedial performance and cost." Federal Environmental Restoration Conference and Exhibition, Washington, D.C.

Schroeder, S., D. Mckenzie and L. C. Murdoch (1992) "Soil vapor extraction from hydraulic fractures in glacial till: initial field testing in Chicago, Illinois." Air and Waste Management Association Conference, Kansas City, MO.

Schweisinger, T. and L. C. Murdoch (2002) "Measuring Changes in Fracture Aperture During Injection to Estimate Characteristics of Fractured Rock Near a Well." AGU Fall Meeting, San Francisco. vol: 83:47 pages Fall Meeting Supplement, Abstract H71B-0821.AGU



Schweisinger, T. and L. C. Murdoch (2003) "Measuring Changes In Fracture Aperture In Situ During an Injection Test." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 26.Dept. Geo. Sci., Clemson University

Siegrist, R. L., K. S. Lowe, L. C. Murdoch, T. L. Case, D. A. Pickering and T. C. Houk (1998) "Horizontal Treatment Barriers of Fracture Emplaced Iron and Permanganate Particles." in NATO/CCMS Pilot Study: Evaluation of Demonstrated and Emerging Technologies for the Treatment of Contaminated Land and Groundwater (Phase III) Special Session: Treatment Walls and Permeable Reactive Barriers, Pages 77-83. USEPA, Washington, DC.

Siegrist, R. L., K. S. Lowe, L. C. Murdoch, W. W. Slack and T. C. Houk (1998) X-231A demonstration of in situ remediation of DNAPL compounds in low permeability media by soil fracturing with thermally enhanced mass recovery and reactive barrier destruction. ORNL/TM-13534. Oak Ridge National Laboratory, Oak Ridge, TN.

Siegrist, R. L., K. S. Lowe, L. C. Murdoch, T. L. Case and D. A. Pickering (1999) "Oxidization By Fracture Emplaced Reactive Solids." Journal of Environmental Engineering 125:5 (429-440.)

Siegrist, R. L., K. S. Lowe, L. C. Murdoch and A. M. Struse (2000) "In situ chemical treatment using hydraulic fracturing to emplace Fe metal and KMnO4 reactive solids." EPA/625/R-99/012 (85-92.)

Siegrist, R. L. and L. C. Murdoch (2000) Oxidative Particle Mixtures for Groundwater Treatment. US Patent No. 6102621.

Siegrist, R. L. L., M. A. Urynowicz, O. R. West, M. L. Crimi and K. S. Lowe (2001) Principles and Practice of In Situ Chemical Oxidation Using Permanganate. Battelle Press, Columbus, OH.

Slack, W. W., M. C. Kemper and L. C. Murdoch (1994) "Hydraulic Fracturing to Improve Remediation of Contaminated Soil." 5th Forum on Innovative Hazardous Waste Treatment Technologies, Chicago, IL. pages 79-83.USEPA

Slack, W. W. (2000) "Hydraulic Fracturing Technology Overview and Issues." Conference on Abiotic In Situ Technologies for Groundwater Remediation, Dallas, Texas. vol: EPA/625/R-99/012 pages 82-84.

Slack, W. W., L. C. Murdoch and T. O. Meiggs (2000) "Hydraulic Fracturing to Improve In Situ Remediation." 2nd International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session A.6., Monterey, CA.. vol: C2:6 pages 291-298.Battelle Press

Slack, W. W., L. C. Murdoch and D. Butler (2000) "Recovering Free Product from Clayey Formations Using Hydraulic Fractures." 2nd International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session B.5., Monterey, CA.. vol: C2:5 pages 127-134.Battelle Press



Slack, W. W. and J. Koon (2001) "New Field Scale Applications for Hydraulic Fracturing." 9th Annual Hydrogeology Symposium, Clemson SC. pages 19.Dept. Geo. Sci., Clemson University

Slack, W. W., S. C. Nielson, E. Rhine and R. Adams (2002) "Cost Effective Utilization of Hydraulic Fractures for Remediation of Environmentally Impacted Sites." 10th Annual Hydrogeology Symposium, Clemson SC. pages 31-32.Dept. Geo. Sci., Clemson University

Slack, W. W. and T. A. Harp (2003) "Long-term Use of Hydraulic Fractures for Delivery of Substrate Solutions." 7th International Symposium on In Situ and On-Site Bioremediation, Session C.7., Orlando, FL.

Slack, W. W. (2003) "Use of Induced Fractures as Enhancements to Soil and Groundwater Remediation Systems." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 27.Dept. Geo. Sci., Clemson University.

Slack, W. W. (2004) "Determination Of Fracture Form From Mediocre Or Incomplete Process Data." 12th Annual Hydrogeology Symposium, Clemson, SC. Dept. Geo. Sci., Clemson University.

Slack, W. W. and L. C. Murdoch (2004) "Passive ISCO With Permanganate Installed By Hydraulic Fracturing Techniques." 4th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Monterey CA. Battelle Press

Slack, W. W. (2005) "Quantitative Description of Surface Deformation over Typical Horizontal Fractures." 13th Annual David S. Snipes / Clemson Hydrogeology Symposium, pages 40-41. Clemson University, Dept. Geological Sciences

Slack, W. W., K. E. Klint, B. Nilsson, Y. Benoit, F. Haeseler, T. Brøker, T. Kesala and C. Tsakiroglou (2005) "Stimulating Biological Activity Within Fractured Soil At Klucewo, Poland." Eighth International In Situ and On-Site Bioremediation Symposium, Baltimore, Maryland. Battelle

Slack, W. W. and L. C. Murdoch (2006) "Creation of Hydraulic Fractures in Bedrock to Support Remediation Processes." 14th Annual David Strange Snipes / Clemson Hydrogeology Symposium, Clemson, South Carolina. pages 25 - 26. Clemson University, Dept Geological Sciences

Slack, W. W., B. Nilsson, C. Tsakiroglou and F. Haeseler (2006) "Remediation Enhancement by Steam Injection and Steam Heating with Hydraulic Fractures." Fifth International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Monterey, California. pages F-30.Battelle Press, Columbus, OH

Slack, W. W., L. C. Murdoch, S. W. Kirschner and B. B. Beegle (2007.) "An Analysis of Bedrock Fracturing to Distribute Vegetable Oil Emulsion in a Metamorphic Rock Formation." Ninth International In Situ and On-Site Bioremediation Symposium, Baltimore, Maryland. pages H-85.Battelle Press, Columbus, OH



Slack, W. W. (2010) "Quantitative Assessment of the Distribution of Injected Material during Hydraulic Fracturing" 7th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session D110., Monterey, CA.

Slack, W. (2012) "Passive Reactive Captors – Assessment and Design." The 20th Annual David S. Snipes/Clemson Hydrogeology Symposium, Clemson University. April 2012.

Slack, W. W., B. C. Rosini, R. Srirangam and F. Lakhwala (2012) "Characterizing the Extent of Hydraulic Fractures Created In Partially Weathered Bedrock with EHC" 8th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Monterey, CA.

Slack, W. W. (2013) "Distributions of Fracture Form Suggested By Tiltmeter Data." The 21st Annual David S. Snipes/Clemson Hydrogeology Symposium, Clemson University. April 2013.

Slack, W. W., and R. J. Hall. (2013) "In Situ Distribution of Fluid Injected Through Fractures." Bioremediation and Sustainable Environmental Technologies Conference. Jacksonville, FL. June 10-13, 2013.

Slack, B. (2013) "Environmental Fracturing vs. Fracking." Pollution Engineering. September 2013.

Slack, W. W., D. E. Knight, C. R. Ross, D. Chlebica, N. D. Durant, T. H. Jorgensen, E. B. Weeth, M. Terkelsen, and P. Johansen. (2015). In Situ Remediation of Chlorinated Solvents Using Jet Fracturing Technology – Full Scale Demonstration." The 23<sup>rd</sup> Annual David S. Snipes/Clemson Hydrogeology Symposium, Clemson University. March 2015.

Slack, W.W., J. Denison, L. Murdoch, D. LaBrecque, and M. Amadian. (2016). "Comparison of Methods for Tracking Growth of An Induced Hydraulic Fracture." The 24<sup>th</sup> Annual David S. Snipes/Clemson Hydrogeology Symposium, Clemson University. March 2016.

Slack, B. (2019) "Justification of Rules for Assessment of Surface Deformation Overlying Injected Material." The 27<sup>th</sup> Annual David S. Snipes/Clemson Hydrogeology Symposium, Clemson University. April 2019.

Souders, A. K., L. C. Murdoch and S. E. Kelly (2000) "An In Situ Method for Determining the Hydraulic Conductivity of a Stream or Lake Bed." AGU Fall Meeting, San Francisco. vol: 81:48 pages Fall Meeting Supplement, Abstract H72B-39.AGU

Spence, R. C., A. Bodocsi and L. C. Murdoch (1990) "State of stress and hydraulic fracturing potential in soil/bentonite cutoff walls." 21st Ohio River Valley Soils Seminar, Cincinnati.

Sprinkle, C., D. Ewing, M. Strong, D. Owens, B. Ventura and L. Smith (2004) "Pilot-Testing Four Treatment Technologies For Chlorinated Solvents In Low-Permeability Formations." 4th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Monterey, CA. pages 5B-06.Battelle Press



Stavnes, S. A. (1999) "Bioremediation Barrier Emplaced Through Hydraulic Fracturing." vol: 542-N-99-002 pages 2-3.USEPA

Stavnes, S. A., J. J. Fleischman, S. C. Hunt, J. Goetz, M. C. Kemper, M. H. Roulier, K. Hristova, K. Scrow, K. Knutson, W. R. MaHaffey, D. J. Slomczynski and W. J. Davis-Hoover (2002) "MTBE Bioremediation with Bionets Containing Isolite, PM1, Solid Oxygen Source (SOS) or Air." 3rd Conference on Remediation of Chlorinated and Recalcitrant Compounds, Session E.9., Monterey, CA. vol: 28:66 Battelle Press

Strong, M., C. Sprinkle, D. Ewing, D. Owens, B. Ventura, L. Smith and J. J. Liskowitz (2004) "Comparison Of Pneumatic And Hydraulic Fracturing For Emplacement Of Treatment Materials In Low-Permeability Formations." 4th International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Monterey CA. pages 5B-07.Battelle Press

Svenson, E. T. Schweisinger, L.C. Murdoch, (2008) "Field evaluation of the hydromechanical behavior of flat-lying fractures during slug tests." *Journal of Hydrology*, 359, v. 1-2. 30-45.

Timoshenko, S (1940). Theory of Plates and Shells. McGraw-Hill, New York.

Uber, J. G. (1990) "Combining Groundwater Simulation and Optimization Models." National Conference on Water Resources Planning and Mangement, ASCE

Uber, J. G. and L. C. Murdoch (1991) "Monte Carlo optimization of interceptor trench network for contaminated groundwater remediation." American Geophysical Union Conference,

Uber, J. G. and L. C. Murdoch (2000) "Evaluation Of Hopscotch Method For Transient Groundwater Flow." Journal of Hydraulic Engineering 126:8 (615-626.)

Urynowicz, M. A., R. L. Siegrist, O. R. West, M. L. Crimi, A. M. Struse and K. S. Lowe (2001) "Fundamentals and Application of In Situ Chemical Oxidation Technologies." American Association of Petroleum Geologists (AAPG) Annual Meeting, Denver, CO.

USEPA (1994) Bioremediation in the field. USEPA OSWER/ORD, EPA/540/N-94/500 No 10

USEPA (1995) In Situ Remediation Technology Status Report: Hydraulic and Pneumatic Fracturing. EPA/542/K-94/005. USEPA, Washington, DC.

USEPA (1997) Analysis of Selected Enhancements for Soil Vapor Extraction. EPA/542/R-97/007, USEPA, Washington, DC.

VanPoollen, H.K., J. M. Tinsley, and C. D. Saunders. (1959) "Hydraulic Fracturing – Fracture Flow Capacity vs. Well Productivity." J. Pet Tech, Trans AIME 213 (91-95).

Venkatraman, S. N., D. S. Kossan, T. M. Boland, J. R. Schuring and U. Franks (1995) "Integrated Pneumatic Fracturing and Bioremediation for the In Situ Treatment of Contaminated Soil." 21st RREL Research Symposium, Cincinnati. vol: 600/F94/046 pages 329-332.USEPA



Vesper, S. J., L. C. Murdoch, S. Hayes and W. J. Davis-Hoover (1994) "Solid Oxygen Source for Bioremediation In Subsurface Soils." Journal Hazardous Materials 36 (265-274.)

Vesper, S. J., W. J. Davis-Hoover, M. H. Roulier, L. C. Murdoch, L. M. Vane and J. G. Hermann (1995) "Advances in TCE Degrading Thermophilic, Mesophilic and Alkaline Resistant Organisms." 21st RREL Research Symposium, Cincinnati. vol: 600/F94/046 pages 325-328.USEPA

Vigneri, M. G., W. R. MaHaffey, W. W. Slack and R. Werner (2001) "Use of the on-contact remediation process for the remediation of MTBE/BTEX, chlorinated compounds and other organic compounds, especially in low permeability geology." American Association of Petroleum Geologists (AAPG) Annual Meeting, Denver, CO.

Wang, T., J. A. Stodt, D. J. Steirman and L. C. Murdoch (1991) "Mapping hydraulic fractures using a borehole-to-surface electrical resistivity method." Geoexploration 28:3/4 (349-369.)

Whiting, T., W. W. Slack and L. C. Murdoch (1998) "Dual-phase extraction with hydraulic fractures at a superfund site." International Conf. On Remediation of Chlorinated and Recalcitrant Compounds, Session B.1., Monterey, CA.

Wolf, A. J. and L. C. Murdoch (1993) "A Field Test of the Effect of Sand Filled Hydraulic Fractures on Air Flow in Silty Clay Till." 7th NGWA National Outdoor Action Conference, Las Vegas, NV.

Wolf, A. J. (1995) The Effects of Creating Sand-Filled Hydraulic Fractures on Soil Vapor Extraction. A Thesis Submitted to the Department of Civil and Environmental Engineering, University of Cincinnati, Cincinnati, OH

Workman, R. and L. C. Murdoch (2003) "Including the Effects of Wellbore Hydraulics in Analysis of the Performance of Horizontal Wells." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 33.Dept. Geo. Sci., Clemson University

Wu, R. and L. N. Germanovich (2003) "Hydraulic Fracture Branching and Segmentation." 11th Annual Hydrogeology Symposium, Clemson, SC. pages 34.Dept. Geo. Sci., Clemson University.

Wu, Ruiting. <u>Some Fundamental Mechanisms of Hydraulic Fracturing</u>. Ph.D. Dissertation, School of Civil and Environmental Engineering, Georgia Institute of Technology. May 2006.

Wu, R., Germanovich, L. N., Van Dyke, P. E., and Lowell, R. P., 2007, Thermal technique for controlling hydraulic fractures, J. of Geoph. Research, Vol. 112, No. B05209, Art. doi:10.1029/2005JB003815.

Yang, X-M. and P. M. Davis (1986) "Deformation Due To A Rectangular Tension Crack in an Elastic Half-Space." Bulletin Seismological Society of America 76:3 (86-881.)